



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/087,579	02/28/2002	Rod Miller	QDI-105US3	5124
7590 03/09/2006			EXAMINER	
Ratner & Prestia			THANH, LOAN H	
P.O. Box 980 Valley Forge, P	A 19482		ART UNIT	PAPER NUMBER
,			3763	
			DATE MAILED: 03/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/087,579	MILLER ET AL.				
Office Action Summary	Examiner	Art Unit				
	LoAn H. Thanh	3763				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <u>31 October 2005</u> .						
	s action is non-final.					
	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1,3-20 and 22</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5)⊠ Claim(s) <u>1 and 3-20</u> is/are allowed.						
6)⊠ Claim(s) <u>22</u> is/are rejected.						
	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examin	er					
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.						
Applicant may not request that any objection to the	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	y (PTO-413)				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/06) Paper No(s)/Mail Date 06/11/02. 	Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	Patent Application (PTO-152)				

Art Unit: 3763

DETAILED ACTION

Response to Amendment

The rejection as applied under 35 USC 102 has been obviated for the claims as previously set forth in the last office action. Applicant has overcome the rejection by including the limitations of claim 2 into the independent claim and by filing the Terminal disclaimer which has been approved.

Applicant has filed new claim 22, which is being rejected as follow below by the same prior art as applied previously.

The Examiner had an interview with Applicant's representative but was not convinced by his arguments.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 22 is rejected under 35 U.S.C. 102(b) as being anticipated by Galloway et al. (U.S. Patent No. 5,403,551).

Galloway et al. discloses a collection cup having a central chamber (18) for storing a collected body fluid, an interior spout along the top edge of one of the side surfaces, a trough (34) which is smaller than central chamber (18), an exterior pour spout at the edge where (14 and (30) is in contact, an engagement mechanism (62, 68).

Application/Control Number: 10/087,579

Art Unit: 3763

and 68). The trough defines a test kit area, which is shown in figures 1-3. The interior or exterior spout is considered the lip of the opening of the trough and the lip of the opening of the central chamber and is capable of being in fluid communication with the elements as claimed.

Allowable Subject Matter

Claims 1, 3-20 are allowable over the prior art of record since it does not teach or render obvious a collection in combination with all the elements and further including the trough formed in the cup.

Response to Arguments

Applicant's arguments filed 10/31/05 have been fully considered but they are not persuasive. Applicant argues that the meaning of the "spout" is defined on page 19, lines 1-2. The broadest interpretation is being given to this language and as defined by applicant's specification the lip of the trough and the central chamber is a "guide through which a liquid is discharged". Further, it is not clear since the terms can be interchangeable whether a spout can be a "notch" or whether a "notch" can be a "spout". Since this is not clear, it is the Examiner's interpretation that a spout can be defined by the broadest definition of specification, which is a "guide through which a liquid is discharged". Further, the dictionary defined a spout to be a lip or orifice or projecting tube. Galloway et al. shows a lip or orifice.

Application/Control Number: 10/087,579

Art Unit: 3763

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LoAn H. Thanh whose telephone number is (571) 272-4966. The examiner can normally be reached on Mon. - Fri. (First Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Lucchesi can be reached on (571) 272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LoAn H. Thanh Primary Examiner Art Unit 3763

LT

M.,